

CANNON BOILER WORKS INC.

510 CONSTITUTION BLVD. - NEW KENSINGTON, PA 15068

PHONE: 724-335-8541 - FAX: 724-335-6511

FS-MODEL OPTIONAL FEATURES - LIST PRICES

OPTION UNIT PRICE

FEEDWATER HEATER MODEL NUMBER	STAINLESS STEEL BOTTOM TRANSITION	STAINLESS STEEL TOP TRANSITION	STAINLESS STEEL MATING ANGLE FLANGE, EACH WITH BOLTS (48"ID MAX)	FLANGED 3" NPS STAINLESS STEEL HEADERS (NOTE 5)	STAINLESS STEEL FRAME (NOTE 5)	STANDARD INSTRUMENT PACKAGE (NOTE 1)	DIGITAL INSTRUMENT PACKAGE	HEAVY DUTY BOTTOM (NOTE 2)	WATER WASH SYSTEM (NOTE 3)	MANUALLY OPERATED SOOT BLOWER (NOTE 5)	SAFETY RELIEF VALVE (450psi standard set pressure)	HINGED SIDE PANELS	HINGED REAR PANELS	DEDUCT FOR TOP TRANSITION CARBON STEEL	DEDUCT FOR BOTTOM TRANSITION CARBON STEEL	DEDUCT FOR BOTH TRANSITIONS CARBON STEEL
FS-3	\$1,290	\$1,142	\$824	\$2,508	\$2,594	\$1,631	\$3,578	\$846	\$551	\$4,444	\$890	\$1,066	\$1,023	\$485	\$694	\$1,180
FS-4	\$1,326	\$1,173	\$824	\$2,749	\$2,600	\$1,631	\$3,578	\$864	\$551	\$4,444	\$890	\$1,066	\$1,084	\$499	\$715	\$1,213
FS-5	\$1,363	\$1,216	\$824	\$2,990	\$2,618	\$1,631	\$3,578	\$883	\$551	\$4,444	\$890	\$1,066	\$1,139	\$512	\$728	\$1,240
FS-6	\$1,400	\$1,246	\$824	\$3,231	\$2,631	\$1,631	\$3,578	\$901	\$551	\$4,444	\$890	\$1,654	\$1,537	\$519	\$748	\$1,267
FS-8	\$1,474	\$1,326	\$824	\$3,554	\$2,655	\$1,631	\$3,578	\$919	\$1,072	\$4,444	\$890	\$1,654	\$1,592	\$539	\$775	\$1,315
FS-10	\$1,548	\$1,400	\$824	\$3,992	\$2,692	\$1,631	\$3,578	\$1,362	\$1,072	\$4,444	\$890	\$1,654	\$1,654	\$553	\$809	\$1,362
FS-12	\$1,616	\$1,474	\$824	\$4,423	\$2,748	\$1,631	\$3,578	\$1,676	\$1,470	\$4,444	\$890	\$1,654	\$1,709	\$566	\$843	\$1,409
FS-14	\$1,683	\$1,548	\$824	\$4,854	\$2,803	\$1,631	\$3,578	\$1,990	\$1,470	\$4,444	\$890	\$1,654	\$1,770	\$587	\$876	\$1,463
FS-16	\$1,751	\$1,622	\$824	\$5,286	\$2,858	\$1,631	\$3,578	\$2,304	\$1,470	\$4,444	\$890	\$1,654	\$1,831	\$607	\$910	\$1,517
FS-18	\$1,819	\$1,696	\$824	\$5,717	\$2,914	\$1,631	\$3,578	\$2,618	\$1,868	\$4,444	\$890	\$1,654	\$1,899	\$627	\$944	\$1,571

NOTES

1. Contains temperature gauges for water and flue gas inlet / outlet, pressure gauges for water inlet / outlet, and special fittings for connections in accordance with Cannon Instrument Schematic Drawing.
2. Extra thick with cleanout / inspection ports for dirty, corrosive conditions.
3. Water Wash System for maintaining fin and tube cleanliness.

4. These options extend normal delivery; consult factory for condensate
5. Specials sizes available, consult factory.
6. Required for #6 fuel oil applications unless soot blower is ordered.

Prices effective as of November 1, 2007

CANNON BOILER WORKS INC.

510 CONSTITUTION BLVD. - NEW KENSINGTON, PA 15068

PHONE: 724-335-8541 - FAX: 724-335-6511

FJ-MODEL OPTIONAL FEATURES - LIST PRICES

OPTION UNIT PRICE

FEEDWATER HEATER MODEL NUMBER	STAINLESS STEEL BOTTOM TRANSITION	STAINLESS STEEL TOP TRANSITION	STAINLESS STEEL MATING ANGLE FLANGE, EACH WITH BOLTS (48"ID MAX)	FLANGED 3" NPS STAINLESS STEEL HEADERS (NOTE 5)	STAINLESS STEEL FRAME (NOTE 5)	STANDARD INSTRUMENT PACKAGE (NOTE 1)	DIGITAL INSTRUMENT PACKAGE	HEAVY DUTY BOTTOM (NOTE 2)	WATER WASH SYSTEM (NOTE 3)	MANUALLY OPERATED SOOT BLOWER (NOTE 5)	SAFETY RELIEF VALVE (450psi standard set pressure)	HINGED SIDE PANELS	HINGED REAR PANELS	DEDUCT FOR TOP TRANSITION CARBON STEEL	DEDUCT FOR BOTTOM TRANSITION CARBON STEEL	DEDUCT FOR BOTH TRANSITIONS CARBON STEEL
FJ-4	\$1,548	\$1,394	\$824	\$3,351	\$2,901	\$1,631	\$3,578	\$1,122	\$618	\$4,444	\$890	\$1,592	\$1,592	\$775	\$1,099	\$1,874
FJ-5	\$1,586	\$1,413	\$824	\$3,358	\$2,915	\$1,631	\$3,578	\$1,137	\$618	\$4,444	\$890	\$1,592	\$1,635	\$802	\$1,146	\$1,948
FJ-6	\$1,634	\$1,462	\$824	\$3,539	\$2,930	\$1,631	\$3,578	\$1,152	\$618	\$4,444	\$890	\$1,592	\$1,672	\$829	\$1,193	\$2,022
FJ-8	\$1,729	\$1,554	\$824	\$3,893	\$2,958	\$1,631	\$3,578	\$1,241	\$618	\$4,444	\$890	\$1,592	\$1,715	\$856	\$1,240	\$2,097
FJ-10	\$1,825	\$1,646	\$824	\$4,372	\$2,986	\$1,631	\$3,578	\$1,787	\$859	\$4,444	\$890	\$1,592	\$1,752	\$883	\$1,348	\$2,231
FJ-12	\$1,917	\$1,745	\$824	\$4,844	\$3,029	\$1,631	\$3,578	\$2,097	\$859	\$4,444	\$1,565	\$1,592	\$1,795	\$910	\$1,396	\$2,306
FJ-14	\$2,016	\$1,837	\$824	\$5,476	\$3,085	\$1,631	\$3,578	\$2,407	\$859	\$4,444	\$1,565	\$1,592	\$1,837	\$937	\$1,449	\$2,387
FJ-16	\$2,108	\$1,936	\$824	\$6,108	\$3,142	\$1,631	\$3,578	\$2,717	\$1,202	\$4,444	\$1,565	\$1,592	\$1,874	\$964	\$1,503	\$2,467
FJ-18	\$2,206	\$2,028	\$824	\$6,741	\$3,198	\$1,631	\$3,578	\$3,027	\$1,202	\$4,444	\$1,565	\$1,592	\$1,917	\$991	\$1,564	\$2,555
FJ-20	\$2,299	\$2,120	\$824	\$7,373	\$3,255	\$1,631	\$3,578	\$3,338	\$1,202	\$4,444	\$1,565	\$1,592	\$1,954	\$1,018	\$1,625	\$2,643
FJ-22	\$2,367	\$2,185	\$824	\$7,504	\$3,262	\$1,631	\$3,578	\$3,496	\$1,298	\$4,444	\$1,565	\$1,592	\$1,996	\$1,045	\$1,686	\$2,731
FJ-24	\$2,455	\$2,271	\$824	\$7,976	\$3,302	\$1,631	\$3,578	\$3,768	\$1,377	\$4,444	\$1,565	\$1,592	\$2,036	\$1,072	\$1,746	\$2,818
FJ-26	\$2,542	\$2,357	\$824	\$8,448	\$3,342	\$1,631	\$3,578	\$4,039	\$1,456	\$4,444	\$1,565	\$1,592	\$2,076	\$1,099	\$1,806	\$2,905

NOTES

1. Contains temperature gauges for water and flue gas inlet / outlet, pressure gauges for water inlet / outlet, and special fittings for connections in accordance with Cannon Instrument Schematic Drawing.

2. Extra thick with cleanout / inspection ports for dirty, corrosive conditions.

3. Water Wash System for maintaining fin and tube cleanliness.

4. These options extend normal delivery; consult factory for condensate

5. Specials sizes available, consult factory.

6. Required for #6 fuel oil applications unless soot blower is ordered.

Prices effective as of November 1, 2007

CANNON BOILER WORKS INC.

510 CONSTITUTION BLVD. - NEW KENSINGTON, PA 15068

PHONE: 724-335-8541 - FAX: 724-335-6511

FG-MODEL OPTIONAL FEATURES - LIST PRICES

OPTION UNIT PRICE

FEEDWATER HEATER MODEL NUMBER	STAINLESS STEEL BOTTOM TRANSITION	STAINLESS STEEL TOP TRANSITION	STAINLESS STEEL MATING ANGLE FLANGE, EACH WITH BOLTS (48"ID MAX)	FLANGED 3" NPS STAINLESS STEEL HEADERS (NOTE 5)	STAINLESS STEEL FRAME (NOTE 5)	STANDARD INSTRUMENT PACKAGE (NOTE 1)	DIGITAL INSTRUMENT PACKAGE	HEAVY DUTY BOTTOM (NOTE 2)	WATER WASH SYSTEM (NOTE 3)	MANUALLY OPERATED SOOT BLOWER (NOTE 5)	SAFETY RELIEF VALVE (450psi standard set pressure)	HINGED SIDE PANELS	HINGED REAR PANELS	DEDUCT FOR TOP TRANSITION CARBON STEEL	DEDUCT FOR BOTTOM TRANSITION CARBON STEEL	DEDUCT FOR BOTH TRANSITIONS CARBON STEEL
FG-4	\$1,548	\$1,394	\$824	\$3,351	\$2,901	\$1,631	\$3,578	\$1,122	\$618	\$4,444	\$890	\$1,592	\$1,592	\$775	\$1,099	\$1,874
FG-5	\$1,586	\$1,413	\$824	\$3,358	\$2,915	\$1,631	\$3,578	\$1,137	\$618	\$4,444	\$890	\$1,592	\$1,635	\$802	\$1,146	\$1,948
FG-6	\$1,634	\$1,462	\$824	\$3,539	\$2,930	\$1,631	\$3,578	\$1,152	\$618	\$4,444	\$890	\$1,592	\$1,672	\$829	\$1,193	\$2,022
FG-8	\$1,729	\$1,554	\$824	\$3,893	\$2,958	\$1,631	\$3,578	\$1,241	\$618	\$4,444	\$890	\$1,592	\$1,715	\$856	\$1,240	\$2,097
FG-10	\$1,825	\$1,646	\$824	\$4,372	\$2,986	\$1,631	\$3,578	\$1,787	\$859	\$4,444	\$890	\$1,592	\$1,752	\$883	\$1,348	\$2,231
FG-12	\$1,917	\$1,745	\$824	\$4,844	\$3,029	\$1,631	\$3,578	\$2,097	\$859	\$4,444	\$1,565	\$1,592	\$1,795	\$910	\$1,396	\$2,306
FG-14	\$2,016	\$1,837	\$824	\$5,476	\$3,085	\$1,631	\$3,578	\$2,407	\$859	\$4,444	\$1,565	\$1,592	\$1,837	\$937	\$1,449	\$2,387
FG-16	\$2,108	\$1,936	\$824	\$6,108	\$3,142	\$1,631	\$3,578	\$2,717	\$1,202	\$4,444	\$1,565	\$1,592	\$1,874	\$964	\$1,503	\$2,467
FG-18	\$2,206	\$2,028	\$824	\$6,741	\$3,198	\$1,631	\$3,578	\$3,027	\$1,202	\$4,444	\$1,565	\$1,592	\$1,917	\$991	\$1,564	\$2,555
FG-20	\$2,299	\$2,120	\$824	\$7,373	\$3,255	\$1,631	\$3,578	\$3,338	\$1,202	\$4,444	\$1,565	\$1,592	\$1,954	\$1,018	\$1,625	\$2,643
FG-22	\$2,397	\$2,213	\$824	\$8,005	\$3,312	\$1,631	\$3,578	\$3,648	\$1,649	\$4,444	\$1,565	\$1,592	\$1,991	\$1,018	\$1,625	\$2,643
FG-24	\$2,496	\$2,305	\$824	\$8,637	\$3,368	\$1,631	\$3,578	\$3,958	\$1,649	\$4,444	\$1,565	\$1,592	\$2,033	\$1,018	\$1,746	\$2,764

NOTES

1. Contains temperature gauges for water and flue gas inlet / outlet, pressure gauges for water inlet / outlet, and special fittings for connections in accordance with Cannon Instrument Schematic Drawing.
 2. Extra thick with cleanout / inspection ports for dirty, corrosive conditions.
 3. Water Wash System for maintaining fin and tube cleanliness.
 4. These options extend normal delivery; consult factory for condensate
 5. Specials sizes available, consult factory.
 6. Required for #6 fuel oil applications unless soot blower is ordered.
- Prices effective as of November 1, 2007

CANNON BOILER WORKS INC.

510 CONSTITUTION BLVD. - NEW KENSINGTON, PA 15068

PHONE: 724-335-8541 - FAX: 724-335-6511

F3J-MODEL OPTIONAL FEATURES - LIST PRICES

OPTION UNIT PRICE

FEEDWATER HEATER MODEL NUMBER	STAINLESS STEEL BOTTOM TRANSITION	STAINLESS STEEL TOP TRANSITION	STAINLESS STEEL MATING ANGLE FLANGE, EACH WITH BOLTS (48"ID MAX)	FLANGED 3" NPS STAINLESS STEEL HEADERS (NOTE 5)	STAINLESS STEEL FRAME (NOTE 5)	STANDARD INSTRUMENT PACKAGE (NOTE 1)	DIGITAL INSTRUMENT PACKAGE	HEAVY DUTY BOTTOM (NOTE 2)	WATER WASH SYSTEM (NOTE 3)	MANUALLY OPERATED SOOT BLOWER (NOTE 5)	SAFETY RELIEF VALVE (450psi standard set pressure)	HINGED SIDE PANELS	HINGED REAR PANELS	DEDUCT FOR TOP TRANSITION CARBON STEEL	DEDUCT FOR BOTTOM TRANSITION CARBON STEEL	DEDUCT FOR BOTH TRANSITIONS CARBON STEEL
F3J-8	\$1,966	\$1,763	\$824	\$3,893	\$3,213	\$1,631	\$3,578	\$1,255	\$1,511	\$4,444	\$3,084	\$2,131	\$1,592	\$964	\$1,396	\$2,360
F3J-10	\$2,071	\$1,868	\$824	\$4,372	\$3,255	\$1,631	\$3,578	\$2,008	\$1,511	\$4,444	\$3,084	\$2,131	\$1,654	\$991	\$1,456	\$2,447
F3J-12	\$2,176	\$1,966	\$824	\$4,844	\$3,354	\$1,631	\$3,578	\$2,614	\$1,511	\$4,444	\$3,084	\$2,131	\$1,715	\$1,025	\$1,510	\$2,535
F3J-14	\$2,274	\$2,071	\$824	\$5,476	\$3,623	\$1,631	\$3,578	\$2,791	\$1,923	\$4,444	\$3,084	\$2,131	\$1,770	\$1,052	\$1,571	\$2,622
F3J-16	\$2,373	\$2,176	\$824	\$6,108	\$3,878	\$1,631	\$3,578	\$2,968	\$1,923	\$4,444	\$3,084	\$2,131	\$1,831	\$1,079	\$1,638	\$2,717
F3J-18	\$2,471	\$2,280	\$824	\$6,741	\$4,430	\$1,631	\$3,578	\$3,146	\$2,335	\$4,444	\$3,084	\$2,131	\$1,905	\$1,112	\$1,712	\$2,825
F3J-20	\$2,569	\$2,385	\$824	\$7,373	\$4,699	\$1,631	\$3,578	\$3,323	\$2,335	\$4,444	\$3,084	\$2,131	\$1,966	\$1,146	\$1,766	\$2,912

NOTES

1. Contains temperature gauges for water and flue gas inlet / outlet, pressure gauges for water inlet / outlet, and special fittings for connections in accordance with Cannon Instrument Schematic Drawing.
 2. Extra thick with cleanout / inspection ports for dirty, corrosive conditions.
 3. Water Wash System for maintaining fin and tube cleanliness.
 4. These options extend normal delivery; consult factory for condensate
 5. Special sizes available, consult factory.
 6. Required for #6 fuel oil applications unless soot blower is ordered.
- Prices effective as of November 1, 2007